

# CONSENT FORM

for

## UROLOGICAL SURGERY

(Designed in compliance with  consent form 1)

### PATIENT AGREEMENT TO INVESTIGATION OR TREATMENT

#### Patient Details or pre-printed label

Patient's NHS Number or Hospital number	
Patient's surname/family name	
Patient's first names	
Date of birth	
Sex	
Responsible health professional	
Job Title	
Special requirements <i>e.g. other language/other communication method</i>	

Patient identifier/label

<b>Name of proposed procedure</b> (Include brief explanation if medical term not clear)	<b>ANAESTHETIC</b>
<b>TRANSURETHRAL INCISION OR RESECTION OF THE PROSTATE (CANCER)</b>  THIS OPERATION INVOLVES THE TELESCOPIC REMOVAL OF OBSTRUCTING PARTS OF THE PROSTATE WITH A HEAT DIATHERMY OR LASER. TEMPORARY INSERTION OF A CATHETER FOR BLADDER IRRIGATION	- GENERAL/REGIONAL - LOCAL - SEDATION

**Statement of health professional** (To be filled in by health professional with appropriate knowledge of proposed procedure, as specified in consent policy) I have explained the procedure to the patient. In particular, I have explained:

**The intended benefits**

RELIEF OF URINARY OBSTRUCTION AND IMPROVEMENT IN URINARY FLOW

**Serious or frequently occurring risks** including any extra procedures, which may become necessary during the procedure. I have also discussed what the procedure is likely to involve, the benefits and risks of any available alternative treatments (including no treatment) and any particular concerns of this patient. Please tick the box once explained to patient

COMMON

- TEMPORARY MILD BURNING, BLEEDING AND FREQUENCY OF URINATION AFTER PROCEDURE
- NO SEMEN IS PRODUCED DURING AN ORGASM IN APPROX: 20%if INCISION or 75% if RESECTION
- MAY NOT RELIEVE ALL PROSTATIC SYMPTOMS

OCCASIONAL

- POOR ERECTIONS POSSIBLE (IMPOTENCE IN APPROX5-10%)
- INFECTION OF BLADDER OR KIDNEY REQUIRING ANTIBIOTICS
- LOSS OF URINARY CONTROL (INCONTINENCE), TEMPORARY OR PERMANENT
- BLEEDING REQUIRING RETURN TO THEATRE AND/OR BLOOD TRANSFUSION.
- POSSIBLE NEED TO REPEAT TREATMENT LATER DUE TO REOBSTRUCTION (APPROX 10%)
- MAY NEED SELF CATHETERISATION TO EMPTY BLADDER FULLY IF BLADDER WEAK
- FAILURE TO PASS URINE AFTER SURGERY REQUIRING A NEW CATHETER

RARE

- INJURY TO URETHRA CAUSING DELAYED SCAR FORMATION
- ABSORPTION OF IRRIGATING FLUIDS CAUSING CONFUSION, HEART FAILURE (TUR SYNDROME)
- VERY RARELY, PERFORATION OF THE BLADDER REQUIRING A TEMPORARY URINARY CATHETER OR OPEN SURGICAL REPAIR

ALTERNATIVE THERAPY: DRUGS, USE OF A CATHETER OR STENT, OBSERVATION OR OPEN OPERATION

**A blood transfusion** may be necessary during procedure and patient agrees **YES or NO (Ring)**

Signature of Health Professional	Job Title
Printed Name	Date

The following leaflet/tape has been provided

**Contact details** (if patient wishes to discuss options later)

**Statement of interpreter** (where appropriate) I have interpreted the information above to the patient to the best of my ability and in a way in which I believe s/he can understand.

Signature of interpreter:

Print name:

Date:

Copy (i.e. page 3) accepted by patient: yes/no (please ring)

Patient identifier/label

## Patient Copy

<b>Name of proposed procedure</b> (Include brief explanation if medical term not clear)	<b>ANAESTHETIC</b>
<b>TRANSURETHRAL INCISION OR RESECTION OF THE PROSTATE (CANCER)</b> THIS OPERATION INVOLVES THE TELESCOPIC REMOVAL OF OBSTRUCTING PARTS OF THE PROSTATE WITH A HEAT DIATHERMY OR LASER. TEMPORARY INSERTION OF A CATHETER FOR BLADDER IRRIGATION	- GENERAL/REGI ONAL - LOCAL - SEDATION

**Statement of health professional** (To be filled in by health professional with appropriate knowledge of proposed procedure, as specified in consent policy) I have explained the procedure to the patient. In particular, I have explained:

**The intended benefits**

RELIEF OF URINARY OBSTRUCTION AND IMPROVEMENT IN URINARY FLOW

**Serious or frequently occurring risks** including any extra procedures, which may become necessary during the procedure. I have also discussed what the procedure is likely to involve, the benefits and risks of any available alternative treatments (including no treatment) and any particular concerns of this patient. Please tick the box once explained to patient

COMMON

- TEMPORARY MILD BURNING, BLEEDING AND FREQUENCY OF URINATION AFTER PROCEDURE
- NO SEMEN IS PRODUCED DURING AN ORGASM IN APPROX: 20%if INCISION or 75% if RESECTION
- MAY NOT RELIEVE ALL PROSTATIC SYMPTOMS

OCCASIONAL

- POOR ERECTIONS POSSIBLE (IMPOTENCE IN APPROX5-10%)
- INFECTION OF BLADDER OR KIDNEY REQUIRING ANTIBIOTICS
- LOSS OF URINARY CONTROL (INCONTINENCE), TEMPORARY OR PERMANENT
- BLEEDING REQUIRING RETURN TO THEATRE AND/OR BLOOD TRANSFUSION.
- POSSIBLE NEED TO REPEAT TREATMENT LATER DUE TO REOBSTRUCTION (APPROX 10%)
- MAY NEED SELF CATHETERISATION TO EMPTY BLADDER FULLY IF BLADDER WEAK
- FAILURE TO PASS URINE AFTER SURGERY REQUIRING A NEW CATHETER

RARE

- INJURY TO URETHRA CAUSING DELAYED SCAR FORMATION
- ABSORPTION OF IRRIGATING FLUIDS CAUSING CONFUSION, HEART FAILURE (TUR SYNDROME)
- VERY RARELY, PERFORATION OF THE BLADDER REQUIRING A TEMPORARY URINARY CATHETER OR OPEN SURGICAL REPAIR

ALTERNATIVE THERAPY: DRUGS, USE OF A CATHETER OR STENT, OBSERVATION OR OPEN OPERATION

**A blood transfusion** may be necessary during procedure and patient agrees **YES** or **NO** (Ring)

Signature of Health Professional	Job Title
Printed Name	Date

The following leaflet/tape has been provided

Contact details (if patient wishes to discuss options later)

**Statement of interpreter** (where appropriate) I have interpreted the information above to the patient to the best of my ability and in a way in which I believe s/he can understand.

Signature of  
interpreter:

Print name:

Date:

Patient identifier/label

**Statement of patient**

Please read this form carefully. If your treatment has been planned in advance, you should already have your own copy of page 2, which describes the benefits and risks of the proposed treatment. If not, you will be offered a copy now. If you have any further questions, do ask - we are here to help you. You have the right to change your mind at any time, including after you have signed this form.

- I agree**
- to the procedure or course of treatment described on this form.
  - to a blood transfusion if necessary
  - that any tissue that is normally removed in this procedure could be stored and used for medical research (after the pathologist has examined it) rather than simply discarded. PLEASE TICK IF YOU AGREE

- I understand**
- that you cannot give me a guarantee that a particular person will perform the procedure. The person will, however, have appropriate experience.
  - that I will have the opportunity to discuss the details of anaesthesia with an anaesthetist before the procedure, unless the urgency of my situation prevents this. (This only applies to patients having general or regional anaesthesia.)
  - that any procedure in addition to those described on this form will only be carried out if it is necessary to save my life or to prevent serious harm to my health.
  - about additional procedures which may become necessary during my treatment. I have listed below any procedures which **I do not wish to be carried out** without further discussion.

\_\_\_\_\_

Signature of Patient:		Print please:	Date:
-----------------------	--	---------------	-------

**A witness should sign** below if the patient is unable to sign but has indicated his or her consent. Young people/children may also like a parent to sign here. (See DOH guidelines).

Signed \_\_\_\_\_  
 Date \_\_\_\_\_  
 Name (PRINT) \_\_\_\_\_

**Confirmation of consent** (to be completed by a health professional when the patient is admitted for the procedure, if the patient has signed the form in advance). On behalf of the team treating the patient, I have confirmed with the patient that s/he has no further questions and wishes the procedure to go ahead.

Signature of Health Professional	Job Title
Printed Name	Date

**Important notes: (tick if applicable)**

- . See also advance directive/living will (eg Jehovah's Witness form)
- . Patient has withdrawn consent (ask patient to sign/date here)